



BUFFALO

GENERAL PURPOSE CYLINDER MOWER

BUFFALO - GENERAL PURPOSE CYLINDER MOWER



The Buffalo truly is the great 'all-rounder' in the Allett line-up, capable of producing a first-class finish across a wide range of grass types and mowing conditions, even wet conditions.

Choose the Buffalo 20, 24 or 27 for regular mowing of ornamental grass in public and private parks and gardens. Combining a wide cut with low weight, the Buffalo 34 is ideal for maintaining larger, sensitive areas such as sports grounds and prestige lawns and can be seen mowing the pitches at grassroots level to some of the world's biggest and most famous stadiums.

Engineered to operate effectively at low engine speeds the Buffalo delivers low fuel consumption, noise levels and vibration.

- **A great all-round cylinder mower in the Allett range**
- **GX120/GX160 engine**
- **20", 24", 27", 34" inch cutting widths**
- **200mm (8in) diameter cutting cylinder with 8 blades - Excels in wet conditions giving exceptional grassbox fill**
- **Height of cut adjustable from 10mm - 40mm (0.4in to 1.5in)**

	BUFFALO 20	BUFFALO 24	BUFFALO 27	BUFFALO 34
Working width	510mm (20in)	610mm (24in)	686mm (27in)	864mm (34in)
Overall width	686mm (27in)	787mm (31in)	864mm (34in)	1,041mm (41in)
Engine	Honda GX120	Honda GX160	Honda GX160	Honda GX160
Power output (net)	2.6kW (3.5hp) @ 3,600rpm	3.6kW (4.8hp) @ 3,600rpm		
Cutting cylinder	200mm (8in) diameter with 8 blades			
Height of cut	Adjustable from 10mm to 40mm (0.4in to 1.5in)			
Clip rate	66 clips/metre (80 clips/yd) irrespective of forward speed			
Handlebar	Adjustable with anti-vibration mountings			
Drive engagement	Handle-mounted lever engaging V belt via cable			
Cylinder engagement	Handle-mounted lever engaging twin V belts via cable (triple V belts on 27 and 34)			
Rear roller	2-piece rubber-covered with steel bevel gear differential			3-piece rubber-covered with steel spur gear differential
Front roller	Smooth aluminium roller with sealed end-bearings			
Grassbox	Moulded plastic with steel reinforcing strip			
Weight	111kg (245lb)	122kg (269lb)	138kg (304lb)	175kg (385lb)
Overall height	1,010mm (40in)			
Overall length	1,280mm (50in)			
Optional accessories	Buffalo Speed Reduction kit (slow down forward speed, and increase clip rate) TS100/1 Trailing Seat - Buffalo 34 only as standard			



Scan this QR code to see a video of this product in action- see back page for details.

